



TYL® - Mesh Fabric

Reinforcement Mesh Fabric

202402

PHYSICAL & MECHANICAL PROPERTIES TABLE

Ref. No.	BS Ref. No.4483	Pitch of Mesh		Diameter of Wire		Cross Section area per square metre		Nominal Mass per square metre	Mass per sheet	Sizes of Sheet	
		Main	Cross	Main	Cross	Main	Cross			Width	Length
		mm	mm	mm	mm	mm ²	mm ²	kgs	kgs	m	m
A12	A565	200	200	12	12	565	565	8.88	89.51	2.1	4.8
A11	A475	200	200	11	11	475	475	7.46	75.20	2.1	4.8
A10	A393	200	200	10	10	393	393	6.16	62.09	2.1	4.8
A9	A318	200	200	9	9	318	318	4.99	50.30	2.1	4.8
A8	A252	200	200	8	8	252	252	3.95	39.82	2.1	4.8
A7	A193	200	200	7	7	193	193	3.02	30.44	2.1	4.8
A6	A142	200	200	6	6	142	142	2.22	22.38	2.1	4.8
A5	A98	200	200	5	5	98	98	1.54	15.52	2.1	4.8
A4	A63	200	200	4	4	63	63	0.99	9.98	2.1	4.8
B12	B1131	100	200	12	8	1131	252	10.90	109.87	2.1	4.8
B11	B950	100	200	11	8	950	252	9.44	95.16	2.1	4.8
B10	B785	100	200	10	8	785	252	8.14	82.05	2.1	4.8
B9	B636	100	200	9	8	636	252	6.97	70.26	2.1	4.8
B8	B503	100	200	8	8	503	252	5.93	59.77	2.1	4.8
B7	B385	100	200	7	7	385	193	4.53	45.66	2.1	4.8
B6	B283	100	200	6	7	283	193	3.73	37.60	2.1	4.8
B5	B196	100	200	5	7	196	193	3.05	30.74	2.1	4.8
B4	B126	100	200	4	7	126	193	2.50	25.20	2.1	4.8
C12	C1131	100	400	12	8	1131	126	9.87	99.49	2.1	4.8
C11	C950	100	400	11	8	950	126	8.45	85.18	2.1	4.8
C10	C785	100	400	10	6	785	71	6.72	67.74	2.1	4.8
C9	C636	100	400	9	6	636	71	5.55	55.94	2.1	4.8
C8	C503	100	400	8	5	503	49	4.34	43.75	2.1	4.8
C7	C385	100	400	7	5	385	49	3.41	34.37	2.1	4.8
C6	C283	100	400	6	5	283	49	2.61	26.31	2.1	4.8
C5	C196	100	400	5	5	196	49	1.93	19.45	2.1	4.8

TECHNICAL DATA

Ref. No.	BS Ref. No.4483	Pitch of Mesh		Diameter of Wire		Cross Section area per square metre		Nominal Mass per square metre	Mass per sheet	Sizes of Sheet	
		Main	Cross	Main	Cross	Main	Cross			Width	Length
		mm	mm	mm	mm	mm ²	mm ²	kgs	kgs	m	m
D12	D1131	100	100	12	12	1131	1131	17.76	179.02	2.1	4.8
D11	D950	100	100	11	11	950	950	14.92	150.39	2.1	4.8
D10	D785	100	100	10	10	785	785	12.32	124.19	2.1	4.8
D9	D636	100	100	9	9	636	636	9.98	100.60	2.1	4.8
D8	D503	100	100	8	8	503	503	7.90	79.63	2.1	4.8
D7	D385	100	100	7	7	385	385	6.04	60.88	2.1	4.8
D6	D283	100	100	6	6	283	283	4.44	44.76	2.1	4.8
D5	D196	100	100	5	5	196	196	3.08	31.05	2.1	4.8
D4	D126	100	100	4	4	126	126	1.98	19.96	2.1	4.8
D3.25	D83	100	100	3.25	3.25	83	83	1.30	9.83	2.1	3.6

Please enquire about our range of construction product

The information and the recommendations relating to the application and end use if this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability if final function at the job site is assumed. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. No responsibility or Liability by the Company will be accepted for misuse, misreading or derivation from the recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and all risks and liability in connection therewith. The information contained in this brochure may change at any time without notice.